




# Profiled S30 mobile stage 5x6x5m

ALSPAW have chosen to adhere to the highest and newest European Directives, specifications and standards in order to provide a safe and high quality product of product quality. All our products comply with the strictest international standards according to the latest standards of **Eurocode 0**, **Eurocode 1**, **Eurocode 3** **Eurocode 9**. We think ahead updating all regulations and implementing certain provisions into our products. All accessories and additional elements should be transported separately on the truck.





#### Technical data

Type of roof	profiled
Dimensions as a stage	5,0 m x 6,0 m x 5,0 m
Dimensions as a trailer	6,5 m x 2,46 m x 3,6 m
Permitted total weight	2500 kg
Stage area	30 m <sup>2</sup>
Height of stage floor	1,0 - 1,3 m
Stage floor	slip proof, weather proof
Roof capacity	400 kg - uniformly on each arch - total 1600 kg
Floor capacity	3,5 kN/m <sup>2</sup> (ok.350 kg/m <sup>2</sup> )
Quadrosystem front pillars load capacity	50 kg
Flying Towers load capacity	500 kg (in the middle point)
Max. wind speed	Wind zone 1 – 3 excepting the 5 km wide coastal areas and the islands of the North Sea and the Baltic Sea:.. max 17.8 m/s with the back and sides cover and max 30 m/s without covers
Max. thickness of snow on the roof	Mobile stages should be used only in periods in which there is no snow, unless the snow is effectively removed, e.g. by installing the appropriate heating devices
Canopy	PCV certified material (flame resistant)
Scrim	A203 (white or black)
Installation time	30-60 min (1-2 people)*

#### Equipment

Basic accessories and options

- PVC canopy for the roof
- Scrim for back and sides (2/3)
- Down covering PVC canopy
- Truss pillars (Q250, 50x2) x 4 pcs
- Standard stairs x 2 pcs
- Rails for 3 sides
- Spare parts
- Manual hydraulic system of lifting up the roof
- Manual system of leveling the floor
- PA Wings (truss structure Q250 with stage platforms)
- PA Wings (truss structure Q250 without stage platforms)
- Flying towers
- PA Speakers
- Ramp (top made of plywood)

Additional accessories and options

- Stage cover
- Scrim side extension till front pillar (1/3) on Velcro – 2 pcs
- Small storage canopy for closing front and back of mobile stage
- Galvanized chassis
- Electric hydraulic lifting up the roof by remote control
- Electric hydraulic lifting up the roof by remote control and electric leveling stage floor by remote control

\* Installation time depend on chosen accessories for mobile stage.